

दूरभाषा / Phone



कोच्चि शाखा कार्यालय : द्वितीय तल, वनकारत टॉवर्स, सिग्नल जं. एन.एच.बाई-पास रोड, पालारिवट्टम इडप्पल्लि पि.ओ., कोच्चि - 682 024

Kochi Branch Office: IInd Floor, Vankarath Towers, Signal Jn.
NH Bye-Pass Road, Palarivattom
Edappally P.O., Kochi - 682 024

04840ur Ref: 6400087110

0484 - 2341176

इंमेल /E-mail : kobo@bis.gov.in Dated :03%Aph 2018 www.bis.org.in

Subject: Grant of BIS Certification Marks Licence No. CM/L-6400087110 as per IS 303: 1989 SHERO PLYWOODS DOOR NO AP VIII 585M INDUSTRIAL

DEVELOPMENT PLOT, ANDOOR PARASSINIKADAVU P.O. DISTT: KANNUR KERALA

670563

Dear Sirs.

With reference to your application, we are pleased to inform you that it has been decided to grant you a licence to use the Standard Mark in respect of the following: PRODUCT: PLYWOOD FOR GENERAL PURPOSES

Type/Size/Grade/Variety covered under licence :

Type AA AB & BB

BWR & MR Grade

Sizes: UPTO & INCLUDING 2440x1220 THICKNESS: UPTO & INCLUDING: 19mm IS 303: 1989

The licence is granted on the explicit condition that you will mark entire/substantial production which

conforms to the Indian Standards. 2. The number assigned to this licence is CM/l- 6400087110 which has been made operative

from 28/03/2018 and is valid upto 27/03/2019. The licence number should invariably be referred to in your future

According to Sub-regulation (2) and Sub-regulation (6) of Regulation, 6 of Bureau of Indian Standards (Certification) Regulation, 1988, the licence fee of Rs.1000.00 and the marking fee stipulated in the Second Schedule of the licence and agreed by you vide your acceptance on CMD/PF-311 is payable by you with effect from 28/03/2018 for the period of validity of the licence in advance. GST@ 18 % as applicable shall also be charged.

- 3. Minimum marking fee stipulated therein is payable by you regardless of the whether you actually mark your product or not with the Standard Mark.Our Receipt No.R/0064PC2017000866 dtd 28/03/2018for the licence fee and the minimum marking fee for the first operative period is already *issued vide manakonline
- 4. This advance minimum marking fee will be carried over to the next year on every renewal. The actual marking fee calculated on the unit rate on the production marked or the minimum marking fee, whichever is higher shall be payable by you at the time of renewal. 5. With a view to streamlining the reporting of quantity marked, calculation and collections of marking fee on the unit
- rate basis, fees will be calculated on the production marked during the first nine months of operation of the licence at the time of first renewal and the production marked during twelve months comprising the last three months of the previous operative year, at the time of second and subsequent renewals. In case the licence expires, the entire production marked till the expiry date shall be taken into account for calculating the marking fee payable.

मुख्यालय : मानक भवन, 9, बहादूरशाह जफर मार्ग, नई दिल्ली - 110 002 Headquarters : Manak Bhavan, 9, Bahadur Shah Zafar Marg, New Delhi - 110 002 ईमेल / Email : info@bis.gov.in For online purchase of Indian Standards, visit our website : www.bis.gov.in or www.standardsbis.in For training needs on Management Systems and Laboratory Management please mail to : nits@bis.org.in

- The Scheme of Testing and Inspection which has already been accepted by you vide your acceptanceon CM/PF-310 will have to be implemented by your organization strictly and completely. This supervision of the operation of the Scheme shall be done by a person responsible for the quality control function in your organization. Kindly inform us the name and designation of the person who will be held responsible for the operation and maintenance of the Scheme. Any future change in this respect will have to be communicated by you to us as and when these take place. 7. We are enclosing a sheet giving the preferred dimensions of the Standard Mark to enable you to prepare
- the designs of the Standard Mark for marking the above product. Ensure that the relative proportions of the different dimensions are maintained. Preferred dimensions be used as far as possible. Kindly get the design of the Stencil/Label/Rating Plate incorporating the Standard Mark approved by us. You will be permittedto commence marking the above mentioned product only after approval by this office.

 8 On commencement of marking of your product for which you are licensed, you may advertise your product with Standard Mark in hoardings, slides and newspapers only during the validity of your licence.
- The use of Standard Mark on letterheads and publicity literature will be permitted only on receipt of your assurance that in the event of cancellation or lapsing of your licence, the letterheads etc. with the Standard Mark will be destroyed/obiliterated. The required assurance may please be submitted in the enclosed proforma. 9.. You are requested to intimate us the actual date from which you intend to introduce the use of
- Standard Mark on your product. Our Inspecting Officer may be present in your factory at that time to assist you in adopting the Scheme of Testing and Inspection (STI) and in the maintenance of test records. This Licence is being granted for your factory situated at: DOOR NO AP VIII 585M INDUSTRIAL DEVELOPMENT PLOT, ANDOOR PARASSINIKADAVU P.O.Distt: KannurKerala670563 and the rights and
- privileges under the licence shall not be exercised by any other firm/company/factory,etc. This licence is not transferable. In the event of shifting of the manufacturing and testing equipment from the licenced premises to some other place ,use of Standard Mark shall be stopped till the new premises are inspected and found to be satisfactory by us in respect of manufacturing and testing facilities available there and address of the new premises is endorsed in the licence. A copy/copies of test report(s) of the sample(s) drawn at the time of preliminary inspection of your factory is/are enclosed for your records. You are requested to intimate to this office the address of your servicing unit where applicable and

the name and designation of the person, his telephone and telex number who should be contacted in case of complaints. It is obligatory on your part as a licensee to keep this office informed about changes taking

It may be noted that this licence is granted subject to the condition that if samples drawn on [Date of drawl of verification sample) by BIS during the verification visit before grant of licence, fail to elevant Indian Standard (in any requirement), the licence shall be put under Stop Marking, and in case fresh sample after corrective action is not offered within one month or fresh sample fails to conform to the requirement of relevant Indian Standard, in any requirement, the licence shall be processed for cancellation. (Applicable for GOL under simplified procedure)

A copy of the latest Scheme of Testing and Inspections will be sent shortly for your records.

The Original Licence document along with STI is under preparat90n and will be posted to you in due course for your reference and records

You are requested to send us back the enclosed proforma duly filled in.

Kindly acknowledge receipt of this letter.

place from time to time in your declared list of servicing units.

CM/L-

6400087110

Thanking you,

Address II Floor, Door No.63/2253C Regional Office Complex-

Central Warehousing Corporation Maveli Road, Gandhi Nas

INDIAN

Kadavanthra, Kochi-682020 Phones: 0484-2207174, 2207175 0484-2203176

kobo@bis.gov.in

http://www.bis.org.in

(K KADIRVEL) Sct.F& Head

NAME OF THE

Dated: 15/05/2019

Fax: Email:

Web:

Bureau of Indian Standards

NAME OF THE LICENSEE WITH THE

ENDORSEMENT NO. 01

Other conditions of the licence remain the same.

भारतीय मानक ब्युरो

BUREAU OF INDIAN STANDARDS

PRODUCT FACTORY ADDRESS STANDARD NO. M/s SHERO PLYWOODS DOOR NO.AP VIII 585 M INDUSTRIAL DEVELOPMENT PLOT PLYWOOD FOR IS 303: 1989 GENERAL PURPOSES ANDOOR, PARASSINIKADAVU P.O Distt : KANNUR

KERALA 670563

ATTACHMENT TO LICENCE NO. CM/L- 6400087110

Whereas, the licence was valid upto 27.03.2019.

consequent upon renewal, the validity of the original licence has been extended from 28.03.2019 to 27.03.2020.

15/05/2019

Sp. Kar

KANNAN GOVINDARAJ SCIENTIST 'C